





WHATABURGER MARVIN, NC CIVIL PLANS

1607 S PROVIDENCE ROAD
MARVIN, NC 28173

PREPARED FOR:



WHATABURGER RESTAURANTS, LLC
300 CONCORD PLAZA DRIVE
SAN ANTONIO, TX 78216

PREPARED BY:



ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
LAND SURVEYING
3420 TORRINGTON WAY
CHARLOTTE, NORTH CAROLINA 28277
(704) 565-7070
(704) 565-7071 Fax
I.C. # C-4082

ALAN W. MOSELEY, PE
(704) 851-7093
AMOSELEY@BLCOMPANIES.COM

CONTENTS:

- CV-1 COVER SHEET
- GN-1 GENERAL NOTES
- AL-1 ALIANS LAND TITLE SURVEY (SHEET 1 OF 2)
- DM-1 DEMOLITION PLAN
- SP-1 SITE PLAN
- SP-2 SITE DIMENSION CONTROL PLAN PHASE I
- EC-1 EROSION CONTROL PLAN PHASE I
- EC-2 SEDIMENT AND EROSION CONTROL PLAN PHASE II
- GD-1 GRADING AND DRAINAGE PLAN
- SP-1 SITE UTILITIES PLAN
- LL-1 LANDSCAPE NOTES AND DETAILS
- LL-2 LANDSCAPE NOTES AND DETAILS
- DN-1 SITE DETAILS SHEET 1
- DN-2 SITE DETAILS SHEET 2
- DN-3 GRADING AND DRAINAGE DETAILS SHEET
- DN-4 EROSION CONTROL DETAILS 1
- DN-5 SEDIMENT AND EROSION CONTROL DETAILS 2
- PH-1.0 PHOTOMETRIC PLAN (BY OTHERS)

SUBCONSULTANTS:

CONTRIBUTING CONSULTANT -
ENGINEERING
CONTACT: ALAN LACY
PHONE: (214) 350-0591
2707 SATSUMA DRIVE
DALLAS, TX 75229



DATES

ISSUE DATE: FEBRUARY 25, 2025

PLANNING JURISDICTION

VILLAGE OF MARVIN
HUNTER NESTOR
10004 NEW TOWN ROAD
MARVIN, NC 28173
(704) 843-1680
PLANNER@MARVINNC.GOV



Know what's below.
Call before you dig.
Dial 811
North Carolina 811, Inc.

FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION

DEVELOPER:
WHATABURGER RESTAURANTS, LLC
300 CONCORD PLAZA DRIVE
SAN ANTONIO, TX 78216
ARON CHARLES
ACCHARLES@WHQ.COM

OWNER:
PUBLIC NORTH CAROLINA LP
P.O. BOX 32018
DURHAM, NC 27702
BRADY PATA
BPATA@PUBLICLP.COM
PUBLICLP@PUBLICLP.COM

SITE WORK GENERAL NOTES

- FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION

82. GAS PIPE MATERIAL SHALL BE PER GAS COMPANY REQUIREMENTS.


83. POLYVINYL CHLORIDE PIPE (PVC) FOR SANITARY PIPING SHALL HAVE BUILT-IN RUBBER GASKET JOINTS. PVC SHALL CONFORM TO ASTM D3343 (SERIES) WITH COMPRESSION FITTINGS AND MAILED FITTINGS. PVC SHALL BE INSTALLED IN ACCORDANCE WITH THE DETAILS, ASTM D2221 AND MANUFACTURER'S RECOMMENDED PROCEDURE.

84. PE WATER PIPING SHALL CONFORM TO AWWA C900.


DEFINITIONS

GENERAL NOTES

Sheet No. 1



ZONING INFORMATION



DATE OF PLAT OR MAP: 2/10/2023
PRELIMINARY
 JENNIFER MARKS, PLS
 NCPLS #L-5229
 DATE

TITLE COMMITMENT REFERENCE NUMBER	RECORDING REFERENCE	DESCRIPTION	STATUS ON PLAT
(4)	PG 0 PG 854 PG 3 322-334	ANY RIGHT, EASEMENT, SERVITUDE, INTEREST, CLAIM, ENCUMBRANCE, OR OTHER INTEREST IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE	AFFECTS PLOTTED
(5)	PG 75 PG 196	EASEMENT AND/OR RIGHT OF WAY TO ACQUIRE TELEPHONE COMPANY	AFFECTS BLANKET
(6)	DB 68 PG 326	EASEMENTS AND/OR RIGHT OF WAY TO THE UNION ELECTRIC COMPANY	AFFECTS BLANKET
(7)	DB 112 PG 239	RURAL LINE PERMIT TO MATTHEWS AND MAXWELL TELEPHONE COMPANY	AFFECTS BLANKET
(8)	DB 136 PG 419	LINE FOR TELEPHONE COMPANY AND POWER LINE RIGHT OF WAY TO NORTH CAROLINA TELEPHONE COMPANY	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(9)	DB 4284 PG 83	EASEMENT FOR SEWER DRAIN FIELD BY AND BETWEEN MEDINA M. AND THE TRUSTEES OF FIRST Baptist CHURCH OF HOUSTON	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(10)	DB 7536 PG 58	GRANT OF EASEMENT TO THE FREMONT NATURAL GAS COMPANY, INC.	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(11)	DB 7588 PG 368 DB 7669 PG 343 DB 7669 PG 343 DB 7669 PG 343	CONVEYANCE WITH AND SURETY PROVIDING CONVEYANCE AGREEMENT BY AND BETWEEN THE UNIVERSITY OF TEXAS AND SURETY DISTRICT, MARSH DEVELOPMENT PARTNERS, LLC AND PUBLIC NORTH CAROLINA, LP PARTNERSHIP EASEMENTS BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND PARTNERSHIP EASEMENTSHIP CORPORATION	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(12)	DB 7690 PG 343	ACCESS EASEMENT AGREEMENT BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND THE TRUSTEES OF THE FIRST BAPTIST CHURCH OF HOUSTON	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(13)	DB 7620 PG 223	BILL OF SALE FOR WATER LINES LOCATED WITHIN WATER LINE EASEMENTS AND/OR ROAD RIGHT-OF-WAYS) PROPOSED GRANTED TO PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(14)	DB 7620 PG 225	WATER LINE EASEMENT AND BILL OF SALE FOR WATER DISTRIBUTION LINE BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(15)	DB 7620 PG 227	WATER LINE EASEMENT AND BILL OF SALE FOR WATER DISTRIBUTION LINE LOCATED WITHIN SANITARY SEWER EASEMENTS) AND/OR ROAD RIGHT-OF-WAYS) PROPOSED GRANTED TO PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(16)	DB 7620 PG 229	WATER LINE EASEMENT AND BILL OF SALE FOR WATER DISTRIBUTION LINE LOCATED WITHIN SANITARY SEWER EASEMENTS) AND/OR ROAD RIGHT-OF-WAYS) PROPOSED GRANTED TO PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(17)	DB 7620 PG 229	SEWER COLLECTION/OUTFALL LINE BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(18)	DB 7648 PG 786	COVENANTS, CONDITIONS, RESTRICTIONS, EASEMENTS, AND LIENS PROVIDED BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS REGARDING COMMERCIAL USE	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(19)	DB 7949 PG 412	COVENANTS, CONDITIONS, RESTRICTIONS, EASEMENTS, AND LIENS PROVIDED BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS REGARDING COMMERCIAL USE	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(20)	DB 8236 PG 538	BMP MAINTENANCE PROCEDURES AGREEMENT BY PUBLIC NORTH CAROLINA, LP AND UNION COUNTY, TEXAS	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE
(21)	DB 8307 PG 384	IN "THIS MEMORANDUM OF RECORD LIESE BY AND BETWEEN PUBLIC NORTH CAROLINA, LP AND FALCON, INC.	RIGHT TO TRAIL, RIGHTS OF WAY, EASEMENTS, INTERESTS, CLAIMS, ENCUMBRANCES, OR OTHER INTERESTS IN THE LANDS OF THE STATE OF TEXAS, OR ANY PART THEREOF, AFFECTING THE TITLE DESCRIBED BY PLATE

REFERENCES CHECKED TITLE INSURANCE COMMITMENT NO. 22-2054608.

 PROPERTY LINE

 LIMIT OF DISTURBANCE LINE

 TEMPORARY CONSTRUCTION EASEMENT LINE

 SANCUT LINE

 REMOVE AND DISPOSE OF UNDERGROUND
 STORMWATER OR UTILITY PIPE, CURB,
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

STORMWATER OR UTILITY PIPE, CURB, FENCING, WALLS, OVERHEAD WIRES, ETC.	×	
REMOVE AND DISPOSE OF LIGHT POLE, SIGN, PIPING, UTILITY STRUCTURE, APPEARANCE, FIXTURE, TREE, AND/OR TREE STUMP ETC.		
REMOVE AND DISPOSE OF TREE, SHRUB, AND/OR STUMP (TYP.)		

REMOVE AND DISPOSE OF TREE, SHRUB, AND/OR STUMP (TYP.)	EXISTING TREE/ SHRUBS TO REMAIN AND BE PROTECTED (TYP.)
	

REMOVE AND DISPOSE OF EXISTING CONCRETE
PADS AND/OR CONCRETE SIDEWALKS

REMOVE AND DISPOSE OF EXISTING BITUMINOUS CONCRETE PAVEMENT STRUCTURE

A	EX. CURB & GUTTER TO BE REMOVED AND DISPOSED (TYP.)
B	EX. TREE TO REMAIN AND BE PROTECTED
C	EX. STORM STRUCTURE AND ASSOCIATED PIPE TO REMAIN AND BE PROTECTED. IF DAMAGED, REPAIR/REPLACE AS NEEDED
D	EX. CURB & GUTTER TO REMAIN AND BE PROTECTED (TYP.)
E	EX. SIGN TO REMAIN AND BE PROTECTED
F	PROTECT EXISTING UTILITIES (TYP.)
G	REMOVE AND DISPOSE OF EXISTING ASPHALT PAVEMENT STRUCTURE
H	EX. STORM STRUCTURE TO REMAIN, REPLACE EXISTING CURB INLET TOP TO YARD INLET (TYP.). SEE GRADING PLAN
I	EX. SIGN POST TO BE REMAIN (TYP.)
J	EX. WATER STRUCTURE TO REMAIN AND BE PROTECTED (TYP.)
K	EX. CLEAN OUTS AND ASSOCIATED PIPE TO REMAIN AND BE PROTECTED (TYP.)
L	PROPOSED SAWCUT
M	PROPOSED SLOPE
N	EXISTING PARKING SPOT TO BE RELOCATED NEXT TO PROP. EASTERN DRIVEWAY (TYP.)
O	EX. IRRIGATION CONTROLS TO REMAIN AND BE PROTECTED (TYP.)

©2025 M. COMPANIES, P.C. THESE DRAWINGS SHALL NOT BE UTILIZED BY ANY PERSONAL FIRM OR CORPORATION WITH OUT THE SPECIFIC WRITTEN PERMIT BOTH OF M. COMPANIES.



Architecture
Engineering
Environmental
Land Surveying

3420 Toringdon Way
Suite 210
Charlotte, NC 28277
(704) 545-7070
Lic. # C-4082

PROPOSED WHATABURGER
1607 S PROVIDENCE ROAD
MARVIN, NC


Desc.	Q
-------	---

Designed	C.B.P.
Drawn	M.P.T.
Reviewed	A.W.M.
Scale	1"=20'
Project No.	2202167
Date	02/25/2025

DEMOLITION OF AN
TWO

Sheet No.

DM-1



PROPERTY LINE	NOE	NOE	NOE
TEMPORARY CONSTRUCTION EASEMENT LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			
SEWAGE LINE			


LOCATION: TOWN OF WARREN, WARREN COUNTY, NC	ITEM #	ITEM	REQUIREMENTS	PROPOSED	VARIANCE
ZONE: DC-40 (INDIVIDUAL ZONING DISTRICT--MINOR GARDENS) USE: RESTAURANT, FAST FOOD WITH DRIVE-THROUGH WINDOW SERVICE (PROHIBITED USE).	1	MINIMUM LOT AREA	NONE REQUIRED	57,239 S.F. (1,302 S.F.)	NO
	2	MINIMUM LOT WIDTH	NONE REQUIRED	177 FEET	NO
	3	MINIMUM LOT FRONTAGE	NONE REQUIRED	177 FEET	NO
	4	MINIMUM FRONT SETBACK	50 FEET	100 FEET	NO
	5	MINIMUM SIDE SETBACK	5 FEET	41 FEET	NO
	6	MINIMUM REAR SETBACK	10 FEET	120 FEET	NO
	7	MAXIMUM BUILDING HEIGHT	35 FEET	<35 FEET	NO
	8	MAXIMUM IMPERVIOUS COVERAGE	75 PERCENT	64 PERCENT	NO

ITEM #	ITEM	REQUIREMENTS	PROPOSED	VARIANCE
1	MAXIMUM BUILDING SIZE	6,000 S.F.	3,500 S.F.	NO
2	PARKING REQUIRED	1. <u>REQUIREMENT:</u> 2 2. <u>REQUIREMENT:</u> 3 3. <u>REQUIREMENT:</u> 4 TOTAL REQUIRED = 9	40 SPACES	NO
3	MINIMUM HANDICAPPED PARKING SPACES REQUIRED	3 SPACES	2 SPACES	NO
4	MINIMUM PARKING DIMENSIONS	9 FEET X 19 FEET	9 FEET X 19 FEET	NO
5	MINIMUM ASILE WIDTH	24 FEET - 2 WAY	24 FEET - 2 WAY	NO
6	MINIMUM FRONT BUFFER	35 FEET	35 FEET	NO
7	MINIMUM SIDE BUFFER	NONE REQUIRED	N/A	NO
8	MINIMUM REAR BUFFER	NONE REQUIRED	N/A	NO
9	MINIMUM INTERIOR LANDSCAPING	ONE TREE 8 INCH DIA. @ 10' ON CENTER TWO SHRUBS 5' DIA. @ 10' ON CENTER	5 TREE ISLANDS	NO

[illegible]

Recommend crosswalks be 6" wide per NCDOT standards.

FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION



1607 S PROVIDENCE ROAD
MARVIN, NC



**SITE
PLAN**

SP-1

Sheet No.

Designed	T.R.J.
Drawn	T.R.J.
Reviewed	A.W.M.
Code	1"=20'
Project No.	2202167
Date	02/25/2025
AD EIR:	

150

SITE

PLAN


1

Street No.

1

1

FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION



EROSION CONTROL LEGEND:	
CONTROL MEASURE	ILLUSTRATION
INLET PROTECTION	
SILT FENCE	
TEMPORARY CONSTRUCTION EASEMENT LINE	
CONSTRUCTION ENTRANCE	
EROSION CONTROL BLANKET	
LIMIT OF DISTURBANCE	
STOCKPILE AREA WITH DOUBLE ROWS OF SILT FENCE	


SOIL TYPE

CeBZ
CLAYEY SAND, SILTY CLAY, SANDS TO S
RECENT DEPOSITS, MODERATELY FIRM

TOTAL DISTURBED ACREAGE - 1.53 A.C.

KEY NOTES

- INSTALL AND MAINTAIN PROP. SILT FENCE (TYP.)
- PROP. CONCRETE WASHOUT AREA
- INSTALL AND MAINTAIN PROP. CONSTRUCTION ENTRANCE
- INSTALL AND MAINTAIN PROPOSED INLET PROTECTION (TYP.)
- CONTRACTOR TO INSTALL PROPOSED STORM SYSTEM BEFORE ROUGH GRADING. (TYP.)
- INSTALL AND MAINTAIN MATERIAL STOCKPILE AREA.
- MAINTAIN PROP. TREE PROTECTION (TYP.)
- INSTALL AND MAINTAIN PROP. EROSION CONTROL BLANKET TO EQUIVALENT OF 100% COVERAGE OF ALL EXPOSED EROSION CONTROL BLANKET TO BE IN COMPLIANCE WITH NCDEIR SPECIFICATIONS.



FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION



GRAPHIC SCALE
20 10 0
SCALE IN FEET

PROPOSED WHATABURGER
1607 S PROVIDENCE ROAD
MARVIN, NC

REVISIONS
NO. DATA CHG.

Designed
T.B.J.
Drawn
T.B.J.
Checked
T.B.J.
Scale
1"=50'
Project No.
2203-47
Client
NORTH CAROLINA
CADD No.
EC2203-47-02

1/16
SEWMENT AND
EROSION CONTROL
PLAN PHASE II

Sheet No.
EC-2

Architectural
Engineering
land surveying
B.J. Engineering
3401 W. 10th St.
Marvin, NC 28757
Phone: 817-277-4603
Fax: 817-277-4603



SOD – ZOYISA TURFGRASS SOD BY SOUTHERN SODGRASS AND LANDSCAPE SUPPLY, LLC OR APPROVED EQUAL.

ALL SOD AREAS SHALL BE PREPARED WITH A 3 IN. MINIMUM TOPSOIL TO ENSURE RECEIVING THE SOD.

FOR BOREHOLETON BUSH AREA, THE SOD MUST BE EITHER GROWN ON SANDY UNDERLYING SOILS OR BE WASHED SOD TO ALLOW WATER INFILTRATION.

LAYING OF SODS SHALL NOT BE CARRIED OUT WHEN THE GROUND IS EXCESSIVELY WET.

FERTILIZATION PER SOD TEST AND SOD MANUFACTURERS RECOMMENDATIONS.

IN PLACES WHERE SLOPE IS MORE THAN 2:1, AND THE DISTANCE ALONG THE SLOPE IS MORE THAN 6 FT, THE SODS SHALL BE STAKED WITH UNCOMPOSSIBLE PILES OR NAILS SPACED APPROXIMATELY EVERY 2 FT ALONG THE LONGITUDINAL DIRECTION OF THE SOD STRIPS.

LAY SOD WITHIN 24 HOURS OF HARVESTING. DO NOT LAY SOD IF GROUND IS FROZEN OR MUDDY.

LAY SOD TO FORM A SOLID MASS WITH TIGHTLY FITTED JOINTS. BUT SODS AND JOINTS OF SODS DO NOT STRETCH OR OVERLAP. STAPLER SOD STRIPS OR CONTACT WITH SODS TO ELIMINATE AIR POCKETS, AND FORM A SMOOTH SURFACE. WORK SIFTED SOIL OR THE SAND INTO MAJOR CHAINS BETWEEN PIECES OF SOD; REMOVE EXCESS TO ALLOW SODDING SOIL AND ADJACENT GRASSES.







LAY SOD AT ACROSS ANGLES ON SLOPE WHEN SLOPE EXCEEDING 3:1.



SATURATE SOD WITH WATER SPRAY WITHIN A MINIMUM DEPTH OF 1-1/2 INCHES. FOLLOW SODS TO MAINTAIN MOST SODS TO A MINIMUM DEPTH OF 1-1/2 INCHES. BURNING SODS TO MAINTAIN MOST SODS TO A MINIMUM DEPTH OF 1-1/2 INCHES. BURNING SODS TO MAINTAIN MOST SODS TO A MINIMUM DEPTH OF 1-1/2 INCHES.












FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION











DATE:

PAGE:

TEMPORARY SEEDING RECOMMENDATIONS FOR LATE WINTER AND EARLY SPRING

Seeding Mixture		Rate (lb/acre)
Species		
Rye (grain)		120
Red clover		50
Penstemon (Kobe)		
Penstemon and Coastal Plain		
Consider broadcast when duration of temporary cover is not to extend beyond June.		
Seeding Dates		
Mountains—Above 2500 feet: Feb. 15 – May 15		
Baldwin 2500 feet: Feb. 1 – May 1		
Penstemon—Below 2500 feet: Feb. 1 – May 1		
Coastal Plain—Dec. 1 – Apr. 15		
Mutch		
Apply 1,000 lb/acre straw. Anchor straw by backing with asphalt, fertilizer, or a much anchoring top. A disk with blades set nearly straight can be used as a much anchoring top.		
Maintenance		
Renovate if growth is not fully adequate. Ream, refertilize and much immediately following erosion or other damage.		

TEMPORARY SEEDING RECOMMENDATIONS FOR FALL		Rate (lb/acre)
Species	Seeding Mixture	
Rye (grain)		
Seeding Dates		
Mountains—Above 2500 feet: Aug. 15 – Dec. 15		
Coastal Plain and Piedmont—Aug. 15 – Dec. 31		
Mutch		
Apply 4,000 lb/acre straw. Anchor straw by backing with asphalt, fertilizer, or a much anchoring top. A disk with blades set nearly straight can be used as a much anchoring top.		
Maintenance		
Repair and refertilize damaged areas immediately. Topdress with 50 lb/acre cover beyond June 15, overseed with 50 lb/acre Kobe (Piedmont and Mountains) or Korean (Mountains) lespedeza in late February or early March.		

SEED BED PREPARATION:

LIMING: Apply lime according to soil test recommendations. If the pH (acidity) of the soil is not known, an application of ground agricultural limestone at the rate of 1-1½ tons/acre on coarse-textured soils and 2-3 tons/acre on fine-textured soils is usually sufficient. Apply limestone uniformly and incorporate into the top 4-6 inches of soil.

FERTILIZER: Base application rates on soil tests. When these are not possible, apply a 10-10-10 grade fertilizer at 700 - 1,000 lb/acre. Both fertilizer and lime should be incorporated into the top 4-6 inches of soil. If a hydraulic seeder is used, do not mix seed and fertilizer more than 30 minutes before application.

SURFACE ROUGHENING: If recent tillage operations have resulted in a loose surface additional roughening may not be required, except to break up large clods. If rainfall causes the surface to become sealed or crusted, loosen it prior to seeding by raking, harrowing, or other suitable methods for fine grading. The finished grade should be a smooth even soil surface with a loosen uniform fine texture. All ridges and depressions shall be removed and filled to provide the approved surface drainage.

Planting is to be done immediately after finished grades are obtained and seedbed preparation is completed.



TEMPORARY SEEDING

Effective Date: 9/1/2023
 Approved By: [Signature]
 Design Manual Updates

DATE:	NON-INVASIVE PERMANENT SEEDING RECOMMENDATIONS FOR LATE WINTER AND EARLY SPRING																					
	SEEDING MIXTURE <table> <tr> <th>Species</th><th>Rate</th></tr> <tr> <td>Centipede</td><td>5 lbs/acre</td></tr> <tr> <td>Indigo Bluestem</td><td>2.5-3.5 lbs/acre</td></tr> <tr> <td>Virginia Wild Rye</td><td>4-5 lbs/acre</td></tr> </table> "Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual."	Species	Rate	Centipede	5 lbs/acre	Indigo Bluestem	2.5-3.5 lbs/acre	Virginia Wild Rye	4-5 lbs/acre	NON-INVASIVE PERMANENT SEEDING RECOMMENDATIONS FOR FALL <table> <tr> <th>SEEDING MIXTURE</th><th>Rate</th></tr> <tr> <td>Hard Fescue</td><td>15 lbs/acre</td></tr> <tr> <td>Switchgrass</td><td>2.5-3.5 lbs/acre*</td></tr> <tr> <td>Big Bluestem</td><td>5-7 lbs/acre*</td></tr> <tr> <td>Indian Woodrats</td><td>15-2.5 lbs/acre*</td></tr> <tr> <td>Virginia Wild Rye</td><td>4-5 lbs/acre*</td></tr> </table> *Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual.	SEEDING MIXTURE	Rate	Hard Fescue	15 lbs/acre	Switchgrass	2.5-3.5 lbs/acre*	Big Bluestem	5-7 lbs/acre*	Indian Woodrats	15-2.5 lbs/acre*	Virginia Wild Rye	4-5 lbs/acre*
Species	Rate																					
Centipede	5 lbs/acre																					
Indigo Bluestem	2.5-3.5 lbs/acre																					
Virginia Wild Rye	4-5 lbs/acre																					
SEEDING MIXTURE	Rate																					
Hard Fescue	15 lbs/acre																					
Switchgrass	2.5-3.5 lbs/acre*																					
Big Bluestem	5-7 lbs/acre*																					
Indian Woodrats	15-2.5 lbs/acre*																					
Virginia Wild Rye	4-5 lbs/acre*																					
	SEEDING MIXTURE <table> <tr> <th>Species</th><th>Rate</th></tr> <tr> <td>Indian Woodrats</td><td>15-2.5 lbs/acre</td></tr> <tr> <td>Virginia Wild Rye</td><td>4-5 lbs/acre</td></tr> </table> "Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual."	Species	Rate	Indian Woodrats	15-2.5 lbs/acre	Virginia Wild Rye	4-5 lbs/acre	SEEDING MIXTURE <table> <tr> <th>Species</th><th>Rate</th></tr> <tr> <td>Mountain-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1</td><td>15-2.5 lbs/acre</td></tr> <tr> <td>Coastal-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1</td><td>15-2.5 lbs/acre</td></tr> <tr> <td>Coastal-Indian Woodrats and Virginia Wild Rye</td><td>15-2.5 lbs/acre</td></tr> </table> "Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual."	Species	Rate	Mountain-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1	15-2.5 lbs/acre	Coastal-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1	15-2.5 lbs/acre	Coastal-Indian Woodrats and Virginia Wild Rye	15-2.5 lbs/acre						
Species	Rate																					
Indian Woodrats	15-2.5 lbs/acre																					
Virginia Wild Rye	4-5 lbs/acre																					
Species	Rate																					
Mountain-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1	15-2.5 lbs/acre																					
Coastal-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1	15-2.5 lbs/acre																					
Coastal-Indian Woodrats and Virginia Wild Rye	15-2.5 lbs/acre																					
	SEEDING DATES Coastal or Eastern Piedmont for Centipede- Sept. 1 - May 1 Coastal and Piedmont for Indian Woodrats and Virginia Wild Rye- Feb 15 - April 1 Mountains for Indian Woodrats and Virginia Wild Rye- March 1 - May 15 Maintenance: Significant maintenance may be required to obtain desired cover.	SEEDING DATES Mountains- Hard Fescue- Aug 1 - June 1 Mountain-Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1 Piedmont and Coastal- Switchgrass, Indian Grass, Big Bluestem-Doc 1 - April 1 Coastal-Indian Woodrats and Virginia Wild Rye- Sept 1 - Nov 1 Maintenance: Hard Fescue is not recommended for slopes > 5%. Prefers shade.																				
	SEED BED PREPARATION: Grading - Apply lime according to soil test recommendations. If the pH (activity) of the soil is not known, an application of ground agricultural limestone at the rate of 1 to 1 1/2 tons/acre on a conventionalized soils will produce a pH of 6.5 to 7.0. If the pH is known, apply lime to adjust the pH to 6.5 to 7.0. FERTILIZER- Base application rates on soil tests. When these are not possible, apply a 10-10-10 fertilizer at 700-1,000 lbs/acre. Both fertilizer and lime should be incorporated into the top 4-6 inches of soil. If a hydraulic seeder is used, do not mix seed and fertilizer more than 30 minutes before application. Soil seedbed - If the seedbed is not prepared, it may not be required, except to break up large clods. If applied across the surface to become solid or crusted, loosen it just prior to seeding by raking, harrowing, or other suitable methods for fine grading, the finished grade should be a smooth even surface with a loose uniform fine texture. All ridges or crusts, loosen it before seeding to provide the approved surface drainage. Planting is to be done immediately after finished grades are obtained and seedbed preparation is completed. NOTES: 1. Permanent seeding, sodding or other means of stabilization are required when all construction work is completed according to the NPDES limitations table. 2. A North Carolina Department of Agriculture soils test (or equal) is highly recommended to be obtained for all areas to be seeded, sprigged, sodded or planted. 3. Use a seeding mix that will produce fastgrowing nurse crops and includes non-invasive species that will eventually provide a permanent groundcover. Soil blanket may be used in lieu of nurse crops. 4. Ground cover shall be maintained until permanent vegetation is established and stable against accelerated erosion.	NON-INVASIVE PERMANENT SEEDING RECOMMENDATIONS FOR SUMMER <table> <tr> <th>SEEDING MIXTURE</th><th>Rate</th></tr> <tr> <td>Indian Woodrats</td><td>15-2.5 lbs/acre</td></tr> <tr> <td>Virginia Wild Rye</td><td>4-5 lbs/acre</td></tr> </table> "Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual."	SEEDING MIXTURE	Rate	Indian Woodrats	15-2.5 lbs/acre	Virginia Wild Rye	4-5 lbs/acre	NON-INVASIVE PERMANENT SEEDING RECOMMENDATIONS FOR FALL <table> <tr> <th>SEEDING MIXTURE</th><th>Rate</th></tr> <tr> <td>Hard Fescue</td><td>15 lbs/acre</td></tr> <tr> <td>Switchgrass</td><td>2.5-3.5 lbs/acre*</td></tr> <tr> <td>Big Bluestem</td><td>5-7 lbs/acre*</td></tr> <tr> <td>Indian Woodrats</td><td>15-2.5 lbs/acre*</td></tr> <tr> <td>Virginia Wild Rye</td><td>4-5 lbs/acre*</td></tr> </table> *Depending upon mix with other species. See table 6.11.d from Chapter 6 of the NC Erosion and Sediment Control Planning and Design Manual.	SEEDING MIXTURE	Rate	Hard Fescue	15 lbs/acre	Switchgrass	2.5-3.5 lbs/acre*	Big Bluestem	5-7 lbs/acre*	Indian Woodrats	15-2.5 lbs/acre*	Virginia Wild Rye	4-5 lbs/acre*	
SEEDING MIXTURE	Rate																					
Indian Woodrats	15-2.5 lbs/acre																					
Virginia Wild Rye	4-5 lbs/acre																					
SEEDING MIXTURE	Rate																					
Hard Fescue	15 lbs/acre																					
Switchgrass	2.5-3.5 lbs/acre*																					
Big Bluestem	5-7 lbs/acre*																					
Indian Woodrats	15-2.5 lbs/acre*																					
Virginia Wild Rye	4-5 lbs/acre*																					




PERMANENT SEEDING

Effective Date: 01/29/2023
In accordance with the 2013
Design Manual Updates

FOR PERMITTING PURPOSES ONLY
NOT RELEASED FOR CONSTRUCTION

[illegible][illegible]



REV	DATE	DESCRIPTION	BY

WHATABURGER
PROVIDENCE RD
MARVIN, NC

PROJECT:

WHATABURGER
300 CONCORD PLAZA, 2A
SAN ANTONIO, TEXAS
78247-4700 210 711-1111

SHEET TITLE:
Photo-metric
Plan

UNIT NO.
DATE:
SCALE:
DRAWN BY:
APPROVED BY:

SHEET NO.:
PH1.0
FILE:




CUSTOMER APPROVAL

☐ Drawing is approved, proceed with production

☐ Drawing is not approved, make changes as noted

Customer Signature _____ Date _____



TECHLIGHT INC.

- DUE TO CHANGING LIGHTING ORDINANCES IT IS THE CONTRACTORS RESPONSIBILITY TO SUBMIT THE SITE PHOTOMETRICS AND LUMINAIRE SPECS TO THE LOCAL INSPECTOR BEFORE ORDERING TO ENSURE THIS PLAN COMPLIES WITH LOCAL LIGHTING ORDINANCES.

- THIS LIGHTING DESIGN IS BASED ON INFORMATION SUPPLIED BY OTHERS. CHANGES IN ELECTRICAL SUPPLY, AREA GEOMETRY AND OBJECTS WITHIN THE LIGHTED AREA MAY PRODUCE ILLUMINATION VALUES DIFFERENT FROM THE PREDICTED RESULTS SHOWN ON THIS LAYOUT.

- THIS LAYOUT IS BASED ON .IES FILES THAT WERE LAB TESTED OR COMPUTER GENERATED. ACTUAL RESULTS MAY VARY.

FOR PRICING CONTACT:
DOUG KILE 214-957-5304
OR dkile@techlight.com

Notes:

1. Calculation at grade.

2. Based on 27.5' AFG fixture mounting including 25' poles plus 2.5' AFG bases.


File:
wb-marvin2.agi

Date:
6-21-23

Luminaire Location Summary			
Luminaire	Label	2-Luminaire Height	Tilt
1	S1-25	27.5	0
2	S1-25	27.5	0
3	S1-25	27.5	0
4	S1-25	27.5	0
5	S1-25	27.5	0
6	S1-25	27.5	0
7	S1-25	27.5	0
8	S1-25	27.5	0
9	S1-45	27.5	0

Calculation Summary					
Label	Calc Type	Lumens	Avg	Max	Min
9' BEYOND DRIVE	Beam	415	0.4	0.4	0.0
PARKING AND DRIVE	Beam	415	0.4	0.4	0.0

Luminaire Schedule			
Symbol	City	Label	Description
1	4	S1-25	CT-A-300-T2-S215-30.00 LUMEN TYPE 2 LED W/BACK SHD
2	1	S1-3	CT-A-300-T3-S215-30.00 LUMEN TYPE 3 LED
3	2	S1-3S	CT-A-300-T3-S215-30.00 LUMEN TYPE 3 LED W/BACK SHD
4	1	S1-4S	CT-A-300-T4-S215-30.00 LUMEN TYPE 4 LED W/BACK SHD



FOUNDATION PLAN


 $1/4'' = 1'-0''$

- FOUNDATION AND NOTES**
1. DETAIL A-102 FOR ON-LAND BEARING PARTITION WALL CONNECTION TO SLAB.
2. COORDINATE ALL FOUNDATION WALL LOCATIONS WITH PERMANENTLY MOVED TREES & EXISTING UTILITY LINES. PROVIDE MINIMUM 6" CLEARANCE FROM EXISTING FOUNDATION WALL LOCATIONS TO AVOID INTERFERENCE.
3. TOP OF STRUCTURAL SAMBLER COLUMN CORRESPONDS TO ARCHITECTURAL FINISH FLOOR ELEVATION 102'0".
4. C.J. INDICATES CONCRETE DETAIL AREA 1.
5. PROVIDE IN-SITU POLYETHYLENE WOOD-BARRIER BENEATH BELOW SLAB CHARGE.
6. REFER TO SHEET FOR UPGRADE PREPARATION.
7. SEE GROUND CONDITIONS DRAWING PROVIDE 2" SLOPE FROM ILLEGIBLE TOP OF

8. COORDINATE ALL SLAB AND FOUNDATION PENETRATIONS WITH MECHANICAL, ELECTRICAL, AND PLUMBING DRAWINGS.

9. COORDINATE LOCATIONS, SIZES AND TYPES OF SLAB DEPRESSIONS, EQUIPMENT PADS, EMBEDMENTS AND PENETRATIONS WITH THE ARCHITECTURAL, MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS.

10. AT CONDUIT PENETRATIONS AT WALL FOOTINGS, PROVIDE ADDITIONAL (2) #5 REBAR 3" ABOVE AND BELOW CONDUIT.



PROVIDE A SIMPSON CS-4 CONTINUOUS TIE STRAP $\times 16 \times 0"$ CENTERED ON RE-ENTRANT CORNER. ATTACH WITH (50) 10GA NAILS AT END TERMINATION AND INTERMEDIATE 10" NAILS AT EVERY 6" OVER ROOF SHEATHING AND ATTACH THROUGH TO THE 2X FLOORING. INSTALL PER MANUF. RECOMMENDATIONS. INSTALL FLASHING BETWEEN TOP BLOODING OF TRUSSES FOR LENGTH SHOWN. ATTACH TO ROOF SHEATHING PER B1/05.2.

DECKING AND NAILING PATTERN.
S. SEE ARCHITECTURAL, MECHANICAL AND PLUMBING
OPENINGS WITH ARCHITECTURAL DRAWINGS.

ROOF FRAMING PLAN NOTES:

1. REFER TO SHEET S0.2, GENERAL NOTES, FOR
2. FOR LOCATIONS AND SIZES OF ROOF PENETRATIONS, DRAWINGS.
3. COORDINATE LOCATIONS OF ALL WALLS AND



355 Research Parkway
Middletown, CT 06450
(203) 850-1406
(203) 630-2815 Fax

© 2005 BLOOMBERG L.P. THESE DRAWINGS SHALL NOT BE
UTILIZED BY ANY PERSON FOR REPRODUCTION WITHOUT
THE WRITTEN PERMISSION OF BLOOMBERG L.P.



Prototype Version	Date	Description
-------------------	------	-------------


Project Name	WHATABURGER MARVIN, NC
Date:	03.05.2025
Project Number	2202167
Description	FRAMING ELEVATIONS

Scale
$1\frac{1}{4}'' = 1'-0''$


S2.2

© 2024 B. Comarova







C4 SECTION
3/4" = 1'-0"




B4 SECTION
3 1/2" = 1'-0"




A4 SECTION
3/4" = 1'-0"




C3 SECTION
3/4" = 1'-0"




B3 SECTION
3/4" = 1'-0"




A3 SECTION
3/4" = 1'-0"




C2 SECTION
3/4" = 1'-0"




B2 SECTION
3/4" = 1'-0"




A2 SECTION $\frac{3/4" = 1'-0"$



C1 SECTION
3/4" = 1'-0"




B1 SECTION
3/4" = 1'-0"




A1 SECTION
3/4" = 1'-0"






SIMPSON SDS25600
SCREWS AT 16" O.C. TYPE

C8 BUILT-UP HEADER DETAIL
1" = 1'-0"



INTERIOR NON-BEARING WALL SUPPORT


C5 NTS **BOTTOM CHORD TRUSS BRACING**




1	4	2	5	3	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

DOUBLE TOP PLATES, 2x OR 3x SILL PLATES	NOTES		BORED HOLES
	MIN. SPACING	"W" MAX.	
2x4	8'-0"	5'-12"	5'-0"
2x6	8'-0"	5'-12"	2'
2x8	8'-0"	5'-12"	3'

ALLOW. STUD BORING/NOTCHING



SE
I



==

45 TYP. BUILT-UP COLUMN DETAIL

[illegible]


C7 FASTENING SCHEDULE
NTS

WOOD HEADER SCHEDULE				
MARK	SIZE	NO. OF JACK STUDS EACH SIDE	NO. OF KING STUDS EACH SIDE	
HOR1	(3) 1x3x12, 4W/10 2x4 AT BOTTOM SEE NOTE 4	(2) 2x4 R/E NOTE 1,3	(3) 2x6 R/E NOTE 1,3	(3) 2x6 R/E NOTE 1,3
HOR2	(3) 2x10	(2) 2x4	(4) 2x6	(4) 2x6
HOR3	(3) 2x10	NA SEE NOTE 2	(3) 2x10 SEE NOTE 2	(3) 2x10 SEE NOTE 2

NOTES

1. ALL POSTS, HEADERS SHALL BE TACHED TO THE POST WITH A SIMPSON COLUMN POST. SIMPSON C.O.D WITH 90 DEGREE ROT AT MID COLUMN. ECCO 2S-2S AT END COLUMN. ECCO 4S-2S AT CORNER COLUMN. SEE D1, D2S-5, D3S-5, D4S-5, D5S-5, D6S-5, D7S-5, D8S-5, D9S-5, D10S-5, D11S-5, D12S-5, D13S-5, D14S-5, D15S-5, D16S-5, D17S-5, D18S-5, D19S-5, D20S-5, D21S-5, D22S-5, D23S-5, D24S-5, D25S-5, D26S-5, D27S-5, D28S-5, D29S-5, D30S-5, D31S-5, D32S-5, D33S-5, D34S-5, D35S-5, D36S-5, D37S-5, D38S-5, D39S-5, D40S-5, D41S-5, D42S-5, D43S-5, D44S-5, D45S-5, D46S-5, D47S-5, D48S-5, D49S-5, D50S-5, D51S-5, D52S-5, D53S-5, D54S-5, D55S-5, D56S-5, D57S-5, D58S-5, D59S-5, D60S-5, D61S-5, D62S-5, D63S-5, D64S-5, D65S-5, D66S-5, D67S-5, D68S-5, D69S-5, D70S-5, D71S-5, D72S-5, D73S-5, D74S-5, D75S-5, D76S-5, D77S-5, D78S-5, D79S-5, D80S-5, D81S-5, D82S-5, D83S-5, D84S-5, D85S-5, D86S-5, D87S-5, D88S-5, D89S-5, D90S-5, D91S-5, D92S-5, D93S-5, D94S-5, D95S-5, D96S-5, D97S-5, D98S-5, D99S-5, D100S-5, D101S-5, D102S-5, D103S-5, D104S-5, D105S-5, D106S-5, D107S-5, D108S-5, D109S-5, D110S-5, D111S-5, D112S-5, D113S-5, D114S-5, D115S-5, D116S-5, D117S-5, D118S-5, D119S-5, D120S-5, D121S-5, D122S-5, D123S-5, D124S-5, D125S-5, D126S-5, D127S-5, D128S-5, D129S-5, D130S-5, D131S-5, D132S-5, D133S-5, D134S-5, D135S-5, D136S-5, D137S-5, D138S-5, D139S-5, D140S-5, D141S-5, D142S-5, D143S-5, D144S-5, D145S-5, D146S-5, D147S-5, D148S-5, D149S-5, D150S-5, D151S-5, D152S-5, D153S-5, D154S-5, D155S-5, D156S-5, D157S-5, D158S-5, D159S-5, D160S-5, D161S-5, D162S-5, D163S-5, D164S-5, D165S-5, D166S-5, D167S-5, D168S-5, D169S-5, D170S-5, D171S-5, D172S-5, D173S-5, D174S-5, D175S-5, D176S-5, D177S-5, D178S-5, D179S-5, D180S-5, D181S-5, D182S-5, D183S-5, D184S-5, D185S-5, D186S-5, D187S-5, D188S-5, D189S-5, D190S-5, D191S-5, D192S-5, D193S-5, D194S-5, D195S-5, D196S-5, D197S-5, D198S-5, D199S-5, D200S-5, D201S-5, D202S-5, D203S-5, D204S-5, D205S-5, D206S-5, D207S-5, D208S-5, D209S-5, D210S-5, D211S-5, D212S-5, D213S-5, D214S-5, D215S-5, D216S-5, D217S-5, D218S-5, D219S-5, D220S-5, D221S-5, D222S-5, D223S-5, D224S-5, D225S-5, D226S-5, D227S-5, D228S-5, D229S-5, D230S-5, D231S-5, D232S-5, D233S-5, D234S-5, D235S-5, D236S-5, D237S-5, D238S-5, D239S-5, D240S-5, D241S-5, D242S-5, D243S-5, D244S-5, D245S-5, D246S-5, D247S-5, D248S-5, D249S-5, D250S-5, D251S-5, D252S-5, D253S-5, D254S-5, D255S-5, D256S-5, D257S-5, D258S-5, D259S-5, D260S-5, D261S-5, D262S-5, D263S-5, D264S-5, D265S-5, D266S-5, D267S-5, D268S-5, D269S-5, D270S-5, D271S-5, D272S-5, D273S-5, D274S-5, D275S-5, D276S-5, D277S-5, D278S-5, D279S-5, D280S-5, D281S-5, D282S-5, D283S-5, D284S-5, D285S-5, D286S-5, D287S-5, D288S-5, D289S-5, D290S-5, D291S-5, D292S-5, D293S-5, D294S-5, D295S-5, D296S-5, D297S-5, D298S-5, D299S-5, D300S-5, D301S-5, D302S-5, D303S-5, D304S-5, D305S-5, D306S-5, D307S-5, D308S-5, D309S-5, D310S-5, D311S-5, D312S-5, D313S-5, D314S-5, D315S-5, D316S-5, D317S-5, D318S-5, D319S-5, D320S-5, D321S-5, D322S-5, D323S-5, D324S-5, D325S-5, D326S-5, D327S-5, D328S-5, D329S-5, D330S-5, D331S-5, D332S-5, D333S-5, D334S-5, D335S-5, D336S-5, D337S-5, D338S-5, D339S-5, D340S-5, D341S-5, D342S-5, D343S-5, D344S-5, D345S-5, D346S-5, D347S-5, D348S-5, D349S-5, D350S-5, D351S-5, D352S-5, D353S-5, D354S-5, D355S-5, D356S-5, D357S-5, D358S-5, D359S-5, D360S-5, D361S-5, D362S-5, D363S-5, D364S-5, D365S-5, D366S-5, D367S-5, D368S-5, D369S-5, D370S-5, D371S-5, D372S-5, D373S-5, D374S-5, D375S-5, D376S-5, D377S-5, D378S-5, D379S-5, D380S-5, D381S-5, D382S-5, D383S-5, D384S-5, D385S-5, D386S-5, D387S-5, D388S-5, D389S-5, D390S-5, D391S-5, D392S-5, D393S-5, D394S-5, D395S-5, D396S-5, D397S-5, D398S-5, D399S-5, D400S-5, D401S-5, D402S-5, D403S-5, D404S-5, D405S-5, D406S-5, D407S-5, D408S-5, D409S-5, D410S-5, D411S-5, D412S-5, D413S-5, D414S-5, D415S-5, D416S-5, D417S-5, D418S-5, D419S-5, D420S-5, D421S-5, D422S-5, D423S-5, D424S-5, D425S-5, D426S-5, D427S-5, D428S-5, D429S-5, D430S-5, D431S-5, D432S-5, D433S-5, D434S-5, D435S-5, D436S-5, D437S-5, D438S-5, D439S-5, D440S-5, D441S-5, D442S-5, D443S-5, D444S-5, D445S-5, D446S-5, D447S-5, D448S-5, D449S-5, D450S-5, D451S-5, D452S-5, D453S-5, D454S-5, D455S-5, D456S-5, D457S-5, D458S-5, D459S-5, D460S-5, D461S-5, D462S-5, D463S-5, D464S-5, D465S-5, D466S-5, D467S-5, D468S-5, D469S-5, D470S-5, D471S-5, D472S-5, D473S-5, D474S-5, D475S-5, D476S-5, D477S-5, D478S-5, D479S-5, D480S-5, D481S-5, D482S-5, D483S-5, D484S-5, D485S-5, D486S-5, D487S-5, D488S-5, D489S-5, D490S-5, D491S-5, D492S-5, D493S-5, D494S-5, D495S-5, D496S-5, D497S-5, D498S-5, D499S-5, D500S-5, D501S-5, D502S-5, D503S-5, D504S-5, D505S-5, D506S-5, D507S-5, D508S-5, D509S-5, D510S-5, D511S-5, D512S-5, D513S-5, D514S-5, D515S-5, D516S-5,


C2 **WOOD HEADER SCHEDULE**



NOT USED

B2 PLYWOOD EDGE BLOCKING

B1 ROOF NAILING PLAN




11 TYPICAL WALL FRAMING


42 TYP. INT. STUD WALL DETAIL

41 TYP. CORNER STUD DETAIL


45 TYP. BUILT-UP COLUMN DETAIL




A5 SECTION
1" = 1'-0"




LEDGER SPLICE DETAIL



A4 SECTION
1" = 1'-0"



C3 SECTION AT DRIVE-THRU WINDOW 1" = 1'-0"




A3


SECTION

$1'' = 1'-0''$


C2 NOT USED
1" = 1'-0"



A2 SECTION 1" = 1'-0"



C1 SECTION
1" = 1'-0"



A1 SECTION

PREPARED FOR



Architecture
Engineering
Environmental
Land Surveying
Composites

1234567890
1234567890
1234567890
1234567890
1234567890

© 2024 E. COMPANIES, INC. THESE DRAWINGS SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF E. COMPANIES.

Project Name	1234567890
Date	12/31/2024
Description	2024 Q4 P222M Postage Release



Scale / Signature

Project Name	WHATABURGER MARVIN, INC.
Date	03.05.2025
Project Number	2202167
Description	FRAMING DETAILS

Scale
As indicated

S5.5

© 2024 E. Companies



A1 ENLARGED PLAN
3/8\" = 1'-0"

A2 SECTION AT ENTRY PORTAL SIDE WALL
1\" = 10'

A3 SECTION AT ENTRY PORTAL
1\" = 10'

PREPARED FOR



Architecture
Engineering
Environmental
Land Surveying
Companies

2000 W. J. FARM
SUITE C1000
DURHAM, NC 27705
919.286.1174

© 2024 WHATABURGER, INC. THIS DOCUMENT SHALL NOT BE
REPRODUCED OR TRANSMITTED IN ANY FORM OR BY
THE SPONSORING AGENCY WITHOUT THE WRITTEN PERMISSION OF WHATABURGER, INC.

Project Name
12.31.2024 2024 Q4 P122N Postpaid Release

Date Description

Seal / Signature

Project Name
WHATABURGER MARVIN, NC

Date
03.05.2025



Project Number
2202167

Description
FRAMING DETAILS



Scale
As indicated

S5.6

© 2024 E. Companies



NOTE:
1. ACCOUNT FOR MECHANICAL ROOF TOP-UP LOADS IN THE TRUSS DESIGN. LOADS ARE
SHOWN ON THE ROOF FRAMING PLAN. VERIFY THESE LOADS WITH THE MECHANICAL
SUPPLIER BEFORE CONSTRUCTING TRUSS.



C1 TRUSS DESIGN CRITERIA

C2 PRE-MANUFACTURED ROOF TRUSS DIAGRAM

